

NRAQ7.E160849 - Programmable Controllers Certified for Canada

Programmable Controllers Certified for Canada

See General Information for Programmable Controllers Certified for Canada

PRECISION DIGITAL CORP

233 South St
Hopkinton, MA 01748 USA

E160849

Investigated to CAN/CSA C22.2 No. 142

Open type programmable controllers Model(s) PD9 followed by 40 thru 49 or 80 thru 89, followed by 8K9-15, may be followed by two alpha-numeric characters.

PDD9 followed by 40 thru 49 or 80 thru 89, followed by 8K9-15, may be followed by two alpha-numeric characters.

Open type, Programmable controllers Model(s) PD2-64xx or PD64xx followed by any alpha-numeric combination

Programmable controllers, open type Model(s) PD15 followed by 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9, may be followed by -6R0, -6G0, -6B0, -6H0, -6R2, -6G2, -6B2, -6H2, -7R0, -7G0, -7B0, -7H0, -7R2, -7G2, -7B2 or -7H2, may be followed -1, -0, may be followed by two alpha-numeric characters.

PD2-5xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD2-6xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD2-7xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD2-8xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD2-9xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD5xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD603 followed by -6R0, -6R2, -6R3, -6G0, -6G2, -6G3, -6B0, -6B2, -6B3, -6X0, -6R5, -6G5, -6B5, -6X5, -6X2, -6X3, -7R0, -7R2, -7R3, -7R5, -7G0, -7G2, -7G3, -7G5, -7B0, -7B2, -7B3, -7B5, -7X0, -7X2, -7X3 or -7x5, followed by -0, -1 or -2, may be followed by 0 or 1, may be followed by two alpha-numeric characters.

PD644 followed by R, G or H, followed by 0, 2, 3 or 5, followed by 1 or 2, followed by 1, 2, 3, 4, 5, 6 or 7, may be followed by any two alpha-numeric characters.

PD690-2G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD690G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD691G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD692-2G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD692G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD693G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD694G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD6xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD740 followed by 6 or 7, followed by R, G or H, followed by 0, 1, 2, 3, 4, 5, 6 or 7, followed by 1 or 2, followed by 1, 2, 3, 4, 5, 6 or 7, may be followed by any two alpha-numeric characters.

PD743 followed by -6R0, -6R2, -6R3, -6G0, -6G2, -6G3, -6B0, -6B2, -6B3, -6X0, -6R5, -6G5, -6B5, -6X5, -6X2, -6X3, -7R0, -7R2, -7R3, -7R5, -7G0, -7G2, -7G3, -7G5, -7B0, -7B2, -7B3, -7B5, -7X0, -7X2, -7X3 or -7x5, followed by -0, -1 or -2, may be followed by 0 or 1, may be followed by two alpha-numeric characters.

PD750G except PD690-2 and PD692-2 are followed by -3 or -4, followed by -N, -14, -15, -16, -17, -18, -20 or -21, may be followed by up to four characters.

PD765 followed by -6R0, -6R2, -6R3, -6G0, -6G2, -6G3, -6B0, -6B2, -6B3, -6X0, -6R5, -6G5, -6B5, -6X5, -6X2, -6X3, -7R0, -7R2, -7R3, -7R5, -7G0, -7G2, -7G3, -7G5, -7B0, -7B2, -7B3, -7B5, -7X0, -7X2, -7X3 or -7x5, followed by -0, -1 or -2, may be followed by 0 or 1, may be followed by two alpha-numeric characters.

PD7xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD865 followed by 6 or 7, followed by R, G or H, followed by 0, 1, 2, 3, 4, 5, 6 or 7, followed by 1 or 2, followed by 1, 2, 3, 4, 5, 6 or 7, may be followed by any two alpha-numeric characters.

PD8xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

PD9xxx followed by -6R0, -6R2, -6R3, -6R4, -6R5, -6R7, -6G0, -6G2, -6G3, -6G4, -6G5, -6G7, -6B0, -6B2, -6B3, -6B4, -6B5, -6B7, -6H0, -6H2, -6H3, -6H4, -6H5, -6H7, -7R0, -7R2, -7R3, -7R4, -7R5, -7R7, -7G0, -7G2, -7G3, -7G4, -7G5, -7G7, -7B0, -7B2, -7B3, -7B4, -7B5, -7B7, -7H0, -7H2, -7H3, -7H4, -7H5 or -7H7, may be followed by four alpha-numeric characters.

Last Updated on 2019-02-10

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"